

Sites Newly Activated

for Enrollment!

China Update



INTERNATIONAL STUDY OF COMPARATIVE HEALTH EFFECTIVENESS WITH MEDICAL AND INVASIVE APPROACHES

NYU Cardiovascular Clinical Research Center ISCHEMIA: Randomizations Per Country Australia, 18, 0.8%. Austria, 29, 1.2% Argentina, 18, 0.8% Belgium, 3, 0.1% Brazil, 161, 6.9% United States, 476, 20.4% Canada, 240, 10.3% China,50,2.1% Taiwan, 4, 0.2% France, 19, 0.8% Germany, 19, 0.89 Hungary, 31, 1.3% United Kingdom, 274, 11.7% Macedonia, 16, 0.7%_ India, 369, 15.8% Thailand, 3, 0.1%. Switzerland, 6, 0.3%. Sweden, 8, 0.3%_ Singapore, 11, 0.5%_ Serbia, 22, 0.9% _ Poland, 205, 8.8% Saudi Arabia, 4, 0.2% _ Israel, 13, 0.6% Russia, 87, 3.7% _Japan, 5, 0.2% Netherlands, 1, 0.0% _Lithuania, 24, 1.0% Portugal, 9, 0.4% New Zealand, 17, 0.7%. Mexico, 21, 0.9%

Site Name		Enrolled	Randomized
Fuwai Hospital	7	23	13
Qingdao Fuwai Hospital	1	8	4
Shanxi Cardiovascular Hospit	ral	1	1
Beijing Chao-yang Hospital, Capital Medical University		9	5
Guangdong General Hospital		43	21
Wuhan Union Hospital, Tongji Medical College, Huazhong Science and Tech University		3	2
TEDA International Cardiovascular Hospital		8	4
Wuhan Asia Heart Hospital		4	0
The People's Hospital of Liaoning Province		1	0
Tongji Medical College		6	3
First Affiliated Hospital of Xinjiang Medical University		8	1
Affiliated Hospital of Jining Medical University		1	0
Beijing Anzhen Hospital		2	0
The First Affiliated Hospital of Zhengzhou University		0	0
Congratulations to	Affiliated Hospital of Jining Medical University		

Beijing Anzhen Hospital

The First Affiliated Hospital of Zhengzhou University

Enrollment and Randomization Update

December 2015

As of **December 8th**, there have been **4165** participants enrolled and **2462** participants randomized. Randomizations have steadily increased, but we are still short of reaching our target. Randomizing at least one participant per site per month will get us there!



ISCHEMIA Challenge



We challenge you to randomize at least 2 patients per month.







RECRUITMENT TIPS



☑ Patients with recent CCTA

If a patient had visualization of their coronary arteries by CCTA within12 months with a stable subsequent clinical course, then the CCTA report must be sent to the CCC for review and approval to proceed with randomization.

✓ Screening Tips

- Ask imaging physicians to contact you if there is an eligible patient
- Post a pre-screening log in the stress lab for staff to fill in daily
- ◆ Go to the stress lab every day and read reports to find cases

ISCHEMIA

Clinical Coordinating Center
Website: http://ischemiatrial.org
Email: ischemia@nyumc.org

Phone: +1-212-263-4225 Fax: +1-646-754-9621



China Update



INTERNATIONAL STUDY OF COMPARATIVE HEALTH EFFECTIVENESS WITH MEDICAL AND INVASIVE APPROACHES

NYU Cardiovascular Clinical Research Center

December 2015

Participants qualifying via ETT

Participants who have qualified for the study via ETT **must** be eligible for CCTA prior to randomization. A CCTA should be performed only after informed consent and the patient's stress test and randomization history forms have been approved by CCC.

If a patient had visualization of their coronary arteries by CCTA or cardiac catheterization within 12 months with a stable subsequent clinical course, then the CCTA/ cath report must be sent to the CCC for review and approval to proceed with randomization.



